

Stormwater Bioinfiltration

Acting as a natural biofilter, these plants capture stormwater runoff. They are well-adapted to the fluctuating water levels and poor water quality commonly associated with stormwater retention areas and detention basins. These sites typically retain water or stay saturated. Use our Rainwater Renewal Mix for sites that experience long dry periods in between storm events.

#SWB Wet Mesic to Mesic Full Sun 6.00 PLS LBS/Acre 139.00 Seeds/ Sq. Ft

Wildflowers		Oz/Acre
<i>Alisma subcordatum</i>	Mud Plantain	1.00
<i>Asclepias incarnata</i>	Marsh (Red) Milkweed	2.00
<i>Aster novae-angliae</i>	New England Aster	1.00
<i>Cassia hebecarpa</i>	Wild Senna	6.00
<i>Eupatorium maculatum</i>	Spotted Joe Pye Weed	0.50
<i>Eupatorium perfoliatum</i>	Boneset	0.50
<i>Helianthus grosseserratus</i>	Sawtooth Sunflower	0.75
<i>Liatris spicata</i>	Marsh Blazing Star	1.50
<i>Mimulus ringens</i>	Monkey Flower	0.15
<i>Monarda fistulosa</i>	Wild Bergamot	1.25
<i>Parthenium integrifolium</i>	Wild Quinine	2.00
<i>Penthorum sedoides</i>	Ditch Stonecrop	0.10
<i>Pycnanthemum virginianum</i>	Mountain Mint	0.50
<i>Rudbeckia hirta</i>	Black-Eyed Susan	2.00
<i>Rudbeckia subtomentosa</i>	Sweet Black-Eyed Susan	2.00
<i>Silphium perfoliatum</i>	Cup Plant	4.00
<i>Solidago riddellii</i>	Riddell's Goldenrod	1.00
<i>Verbena hastata</i>	Blue Vervain	2.00
<i>Vernonia fasciculata</i>	Ironweed	1.50
Grasses, Sedges, & Rushes		Oz/Acre
<i>Carex grayi</i>	Common Bur Sedge	4.00
<i>Carex lupulina</i>	Common Hop Sedge	2.00
<i>Carex vulpinoidea</i>	Brown Fox Sedge	1.00
<i>Elymus virginicus</i>	Virginia Wild Rye	32.00
<i>Glyceria striata</i>	Fowl Manna Grass	2.00
<i>Juncus dudleyi</i>	Dudley's Rush	0.50
<i>Leersia oryzoides</i>	Rice Cut Grass	8.00
<i>Panicum virgatum</i>	Switchgrass	4.00
<i>Poa palustris</i>	Fowl Bluegrass	6.00
<i>Scirpus atrovirens</i>	Dark-Green Bulrush	0.50
<i>Scirpus cyperinus</i>	Wool Grass	0.25
<i>Scirpus validus</i>	Great Bulrush	2.00
<i>Spartina pectinata</i>	Prairie Cordgrass	4.00